

## Algebra 2      2.7

Identify and use parent functions

Describe transformations of functions

★ family of graphs  
↪ parent graph (OG)  
↪ parent function  
constant function  
identity function  
absolute value function  
quadratic function




Transformation  
✓ reflection  
line of reflection  
✓ dilation  
translate

activ: letters

Quiz 2.5-2.6 moved to Thurs.

**1 Parent Graphs** A **family of graphs** is a group of graphs that display one or more similar characteristics. The **parent graph**, which is the graph of the **parent function**, is the simplest of the graphs in a family. This is the graph that is transformed to create other members in a family of graphs.


p. 109

 <b>KeyConcept</b> Parent Functions	
Constant Function	Identity Function
<p><math>y = n</math></p>  <p>The general equation of a <b>constant function</b> is <math>f(x) = a</math>, where <math>a</math> is any number. The domain is all real numbers, and the range consists of a single real number <math>a</math>.</p>	<p><math>y = x</math></p>  <p>The <b>identity function</b> <math>f(x) = x</math> passes through all points with coordinates <math>(a, a)</math>. It is the parent function of most linear functions. Its domain and range are all real numbers.</p>

linear  
-1/2 pt


(linear)

### Absolute Value Function



Recall that the parent function of absolute value functions is  $f(x) = |x|$ . The domain of  $f(x) = |x|$  is the set of real numbers, and the range is the set of real numbers greater than or equal to 0.

### Quadratic Function



$$y = x^2$$

The parent function of **quadratic functions** is  $f(x) = x^2$ . The domain of  $f(x) = x^2$  is the set of real numbers, and the range is the set of real numbers greater than or equal to 0.

$$y = (-x)^2 \quad (\text{symmetry})$$

refl. y-axis

Multiply the whole thing  $-f(x)$   
vs.  
multiply just the x  $f(-x)$

A **reflection** flips a figure over a line called the **line of reflection**.

- When a parent function is multiplied by  $-1$ , the result  $-f(x)$  is a reflection of the graph in the  $x$ -axis.

refl. over x-axis

- When only the variable is multiplied by  $-1$ , the result  $f(-x)$  is a reflection of the graph in the  $y$ -axis.



$$y = -x^2$$



### Example 3 Describe and Graph Reflections

Describe the reflection in  $y = -x^2$ . Then graph the function.

reflected over x-axis




### Guided Practice

Describe the reflection in each function. Then graph the function.

3A.  $y = -|x|$

3B.  $y = -x$



Did I multiply the whole thing?  
(reflect across x-axis)  
Or just the x?  
(reflect across y-axis)

$$y = (x-3)^2 + 5$$

p. 113

2.7 11-37 odd