

Geometry 9.6

Draw dilations

Draw dilations in the coordinate plane

dilation (scaling)

center (of dilation) *measure from* $(0,0)$

scale factor

enlargement $SF > 1$

reduction $SF < 1$

isometry $SF = 1$

dilation practice WS

Quiz 9.5-9.6 Tues.

2 Dilations in the Coordinate Plane

You can use the following rules to find the image of a figure after a dilation centered at the origin.

StudyTip

Negative Scale Factors


Dilations can also have negative scale factors. You will investigate this type of dilation in Exercise 36.

KeyConcept Dilations in the Coordinate Plane

Words To find the coordinates of an image after a dilation centered at the origin, multiply the x - and y -coordinates of each point on the preimage by the scale factor of the dilation, k .

Symbols $(x, y) \rightarrow (kx, ky)$

Example




SFx preimage

Example 1 Draw a Dilation



Copy $\triangle ABC$ and point D . Then use a ruler to draw the image of $\triangle ABC$ under a dilation with center D and scale factor $\frac{1}{2}$.



1. Draw ray (direction) from Center to point A
2. Measure distance (from Center to A)
3. Apply SF to distance
4. Measure and mark image A' (always from Center)
5. Repeat for each point

Dilation handout

$$SF = 2$$

$$A (3, 2) \quad A' (6, 4)$$

$$B (1, 6) \quad B' (2, 12)$$

$$C (4, -3) \quad C' (8, -6)$$

WB 9.6 SK + pr.