

Trig 8.3

Add and subtract vectors in 3-D space
Find the magnitude of vectors in 3-D

vector

magnitude

x-axis

y-axis


z-axis

ordered pair

ordered triple

unit vectors i, j, k

whiteboards



Quiz 8.1-8.2

Find an ordered triple to represent \vec{a} in each equation if $\vec{f} = \langle 1, -3, -8 \rangle$ and $\vec{g} = \langle 3, 9, -1 \rangle$.

7. $\vec{a} = 3\vec{f} + \vec{g}$

8. $\vec{a} = 2\vec{g} - 5\vec{f}$

$$\vec{a} = 3 \langle 1, -3, -8 \rangle + \langle 3, 9, -1 \rangle$$

$$\langle 3, -9, -24 \rangle + \langle 3, 9, -1 \rangle$$

$$\langle 6, 0, -25 \rangle$$

$$6\vec{i} + \textcircled{0}\vec{j} - 25\vec{k}$$

5 Write \overline{AB} as the sum of unit vectors for $A(\underline{5}, \underline{10}, \underline{-3})$ and $B(\underline{-1}, \underline{4}, \underline{-2})$.


$$-6\vec{i} - 6\vec{j} + 1\vec{k}$$

37. **Physics** An object is in equilibrium if the magnitude of the resultant force on it is zero. Two forces on an object are represented by $\langle 3, -2, 4 \rangle$ and $\langle 6, 2, 5 \rangle$. Find a third vector that will place the object in equilibrium.

$$9, 0, 9$$

$$\langle 3, -2, 4 \rangle + \langle 6, 2, 5 \rangle = 0$$

$$+ ? \langle -9, 0, -9 \rangle = \langle 0, 0, 0 \rangle$$


4, 4, 2, 6

Obtain $D = \langle 3, 1, 3 \rangle$.



41. **Aeronautics** Dr. Chiaki Mukai is Japan's first female astronaut. Suppose she is working inside a compartment shaped like a cube with sides 15 feet long. She realizes that the tool she needs is diagonally in the opposite corner of the compartment.

- Draw a diagram of the situation described above.
- What is the minimum distance she has to glide to secure the tool?
- At what angle to the floor must she launch herself?



$$15^2 + 15^2 + 15^2 = d^2$$

$$25.98 \quad 26 \text{ ft}$$

In space: Weightless

No sound

